



Rental catalogue 2018



LED SCREENS

Producer	indoor / outdoor / floor / curvable / cubes	pixel / 1m long	weight / 1m ²	cabinet size	link to the specification file
Unilumin Upad III P2.6	indoor / curvable / cubes / front acces	384 pix	36kg	50x50cm	Upad III P2.6 specification file
Unilumin Upad III P3.9	indoor / curvable / cubes / front acces	256 pix	36kg	50x50cm	Upad III P3.9 specification file
Unilumin Upad H P5.9	outdoor / curvable / touring frames	168 pix	22kg	50x100cm	Upad H P5.9 specification file
Yestech MG7 P5.9	outdoor / floor / curvable / cubes	168 pix	26kg	50x50cm	MG7 P5.9 specification file
Esdled Shine P7.8	outdoor / curvable, partly transparent	128 pix	24kg	50x100cm	Shine P7.8 specification file


Unilumin Upad III (P2.6)

- resolution: 384pix / 1m
- front and rear service with special tool
- magnetic modules
- curvable with extraordinary precision: -10° / -5° / -2° / +2° / +5°
- 90° option with special frames – possibility to build a cube without a gaps
- weight: 36kg / 1sqm
- cabinet size: 50x50cm
- watch the movie ([LINK](#))




Unilumin Upad III (P3.9)

- resolution: 256pix / 1m
- front and rear service with special tool
- magnetic modules
- curvable with extraordinary precision: -10° / -5° / -2° / +2° / +5°
- 90° option with special frames – possibility to build a cube without a gaps
- weight: 36kg / 1sqm
- cabinet size: 50x50cm
- watch the movie ([LINK](#))



Unilumin Upad H (P5.9)

- resolution: 168pix / 1m
- curvable up to -15° / +15°
- touring frames with carts as an option
- magnetic modules with locks
- modular design
- tool free maintenance
- weight: 22kg / 1sqm
- cabinet size: 50x100cm / 50x50cm



Yestech Magic Stage 7 (P5.9)

- resolution: 168pix / 1m
- floor option with special covers or hard glass
- curvable up to -15° / +15°
- 90° option with special cabinets, possibility to build a cube
- triangle cabinets, round cabinets available
- weight: 26kg / 1sqm
- cabinet size: 50x50cm



PROJECTORS

Producer	Light source	Model	Brightness	Resolution	Specification link
Barco	Laser	UDX-4K32	31000	UHD	Barco UDX-4K32
Barco	Laser	UDX-4K22	22000	UHD	Barco UDX-4K22
Epson	Laser	EB-L1755U	15000	WUXGA/UHD	Epson EB-L1755U
Epson	Laser	EB-L1505U	12000	WUXGA/UHD	Epson EB-L1505U
Epson	Laser	EB-L1405U	8000	WUXGA/UHD	Epson EB-L1405U
Barco	Xenon	HDQ-2K40	40000	2K	Barco HDQ-2K40
Barco	Xenon	HDF-W30	30000	WUXGA	Barco HDF-W30
Barco	Xenon	HDF-W26	26000	WUXGA	Barco HDF-W26
Barco	Xenon	HDF-W22	22000	WUXGA	Barco HDF-W22
Barco	Xenon	HDX-W20	20000	WUXGA	Barco HDX-W20
Barco	Xenon	HDX-W18	18000	WUXGA	Barco HDX-W18
Barco	Xenon	HDX-W14	14000	WUXGA	Barco HDX-W14
Barco	Xenon	HDX-W12	12000	WUXGA	Barco HDX-W12
Sanyo	UHP	PDG-DHT8000L	8000	HD	Sanyo DHT8000L
NEC	UHP	PX800X	8000	XGA	NEC PX800X
NEC	UHP	PX700W	7000	WXGA	NEC PX700W



Barco UDX-4K32



Barco HDF-W30



Barco HDX-W20



Epson EB-L1755U

LENSES

Producer	Model	Lens range	Compatible with projectors
Barco	TLD+ 0.73:1	WUXGA: 0.67:1 / WQXGA, UHD - do not use	Barco HDX, HDF series
Barco	TLD+ 0.8-1.16:1	WUXGA 0,85-1,24:1 / WQXGA,UHD 0,92-1,33:1	Barco HDX, HDF, UDX series
Barco	TLD+ 1.16-1.5:1	WUXGA 1,16-1,49:1 / WQXGA,UHD 1,24-1,56:1	Barco HDX, HDF, UDX series
Barco	TLD+ 1.5-2.0:1	WUXGA 1,39-1,87:1 / WQXGA,UHD 1,48-2,0:1	Barco HDX, HDF, UDX series
Barco	TLD+ 2.0-2.8:1	WUXGA 1,87-2,56:1 / WQXGA,UHD 2,0-2,76:1	Barco HDX, HDF, UDX series
Barco	TLD+ 2.8-4.5:1	WUXGA 2,56-4,17:1 / WQXGA,UHD 2,73-4,43:1	Barco HDX, HDF, UDX series
Barco	TLD+ 4.5-7.5:1	WUXGA 4,17-6,95:1 / WQXGA,UHD 4,43-7,39:1	Barco HDX, HDF, UDX series
Barco	XLD 1.0:1	2K 1.0:1	Barco HDQ series
Barco	XLD 1.45-1.8:1	2K 1.45-1.8:1	Barco HDQ series
Barco	XLD 1.8-2.4:1	2K 1.8-2.4:1	Barco HDQ series
Barco	XLD 2.2-3.0:1	2K 2.2-3.0:1	Barco HDQ series
Barco	XLD 2.8-5.5:1	2K 2.8-5.5:1	Barco HDQ series
Epson	ELPLX02	WUXGA/UHD 0.35:1	Epson EB-L1000 series
Epson	ELPLU03	WUXGA/UHD 0.48-0.57:1	Epson EB-L1000 series
Epson	ELPLW05	WUXGA/UHD 0.76-1.07:1	Epson EB-L1000 series
Epson	ELPLW06	WUXGA/UHD 1.19-1.63:1	Epson EB-L1000 series
Epson	ELPLM15	WUXGA/UHD 1.58-2.56:1	Epson EB-L1000 series
Epson	ELPLM10	WUXGA/UHD 2.43-3,71:1	Epson EB-L1000 series
Epson	ELPLM11	WUXGA/UHD 3.54-5.41:1	Epson EB-L1000 series
Sanyo	LNS-W52	HD 0.8:1	Sanyo PDG-DHT8000L
Sanyo	LNS-W53	HD 1.2-1.8:1	Sanyo PDG-DHT8000L
Sanyo	LNS-W50	HD 1.5-1.8:1	Sanyo PDG-DHT8000L
Sanyo	LNS-S51	HD 1.8-2.8:1	Sanyo PDG-DHT8000L
Sanyo	LNS-T51	HD 4.8-8.0:1	Sanyo PDG-DHT8000L
NEC	NP06FL	XGA/WXGA 0.77:1	NEC PX800X, PX700W
NEC	NP07ZL	XGA/WXGA 1.33-1.79:1	NEC PX800X, PX700W
NEC	NP08ZL	XGA/WXGA 1.78-2.35:1	NEC PX800X, PX700W
NEC	NP07ZL	XGA/WXGA 1.33-1.79:1	NEC PX800X, PX700W



Barco TLD+ 0.8-1.16:1



Barco XLD 1.0:1



Epson ELPLX02

IMAGE PROCESSING AND MEDIA SERVERS

Producer	Model / software	Additional information
Barco	E2	28 in / 14 out
Barco	S3-4K Jr + VPU (4K) + in / out cards	12 in / 10 out
Barco	EC-50	Barco Event Master controller
Barco	Event Master 4K60 Tri-Combo input card	
Barco	Event Master 4K60 Tri-Combo output card	
Barco	FSN3G 1804-06X4P + FSN-150 2.5ME panel	
Barco	PDS-701 3G	
Barco	MatrixPro DVI	16 in / 16 out
Analogway	Diventix II	
Analogway	OPS200	
Analogway	PLS300	
Analogway	Orchestra	Analogway controller
Panasonic	AG-HMX100	
Novastar	MCTRL 4K	LED screen UHD processor
Novastar	MCTRL 660	LED screen HD processor
Dataton	Watchout ver. 6	17 4900K, 2x SSD matrix, Firepro W7100, S400
Disguise	D3 2x4pro + 2pcs VFC DVI cards	
Apple	MAC PRO	
Asus	ROG	Laptop, GeForce 1070 graphic card
BMD	HyperDeck Studio Pro 2	4K SSD disc player / recorder
Mastercue	v6	12 outputs with splitters



Barco S3



Barco E2



Barco EC-50



Disguise 2x4pro

INTERACTIVE SOLUTION AND LCD SCREENS

Device	Description	Webpage link
Interactive multimedia scanner	<ul style="list-style-type: none"> - Interactive moving presentation - 75" screen is set in the portrait position at the mobile crane - Detection of the screen position - "Scanning" of any objects - Full touch screen - 3D elements rendered in real-time - Can be combined with the presentation on a separate screen 	Link
Interactive book	Multimedia stand that enables to turn over the screened page.	Link
Holographic pyramide	24" device making ilusion of holographic images <ul style="list-style-type: none"> - Displaying 3D models - Possibility to place the real objects inside - The ability to view displayed objects from 3 sides - Control the content using the touch screen 	Link
Holographic pyramide	55" device making ilusion of holographic images <ul style="list-style-type: none"> - Displaying 3D models - Possibility to place the real objects inside - The ability to view displayed objects from 3 sides - Control the content using the touch screen 	Link
Interactive LED screen	Infrared device which turns surface into touch screen.	Link
LCD screen 98"	NEC X981UHD-2 display, UHD resolution	
LCD screen 75"	Samsung ME75C (IR touch frame available), HD	
LCD screen 55"	Samsung ME55C (IR touch frame available), HD	
LCD screen 43"	NEC MultiSync® C431	
LCD touch screen 42"	iiyama Prolite TF4237MSC-B1AG, HD, 12 point touch technology	
LCD touch screen 32"	iiyama ProLite TF3238MSC-B1AG, HD, 12 point touch technology	
LCD touch screen 23"	iiyama Prolite T2336MSC, HD, 10 point touch technology	



NEC 98" UHD



Interactive book



Multimedia scanner



Holographic pyramide

CONTACT

CEO Michał Płócienniak
+48 791 01 03 05
mail: michal@visualsupport.pl

Invoices
Visualsupport Michał Płócienniak
ul. Jesionowa 15/1
30-221 Kraków, Poland
VAT EU: PL6772173198

Office address:
Visualsupport
ul. Złoty Róg 29A
30-095 Kraków, Poland
mail: biuro@visualsupport.pl
www.visualsupport.pl/en

Warehouse:
Visualsupport
ul. Szlachecka 26
30-080 Brzezie, Poland