




Rental equipment catalog 2023

Producer / model	features	stock size in our warehouse	total batch with partners	cabinets size
Unilumin Unano P1.8	indoor / curvable / cubes / front acces	120sqm	120sqm	44,28x49,815cm
Unilumin Upad IV PRO P2.6	indoor / UpadIV-S/C compatible, one batch	460sqm	660sqm	50x50cm
Unilumin Upad IV-S P2.6	indoor / flexible 40 degrees concave and convex	100sqm	660sqm	50x50cm
Unilumin Upad IV-C P2.6	indoor / cubes – corners	100sqm	660sqm	50x50cm
Infiled AR series P3.9	indoor / curvable / cubes	1000sqm	1000sqm	50x50cm / 50x100cm
Unilumin Upad III P3.9	indoor / curvable / cubes	290sqm	320sqm	50x50cm
Unilumin Upad H P5.9	outdoor / curvable / touring frames	410sqm	910sqm	50x100cm
Infiled AR series P5.9	outdoor / curvable / cubes	1300sqm	2100sqm	50x50cm / 50x100cm
Yestech MG7 P5.9	outdoor / floor / curvable / cubes / triangles	650sqm	650sqm	50x50cm
Yestech MG7s P3.9	outdoor / floor / curvable / cubes / triangles	600sqm	740sqm	50x50cm
Createled AirFLOOR-V1 P2.6	outdoor / floor only / sub-frames	205sqm	305sqm	50x50cm

Unilumin Unano (P1.8) - indoor

- resolution: 240pix by 270pix / 1tile
- magnetic modules
- weight: 35kg / 1sqm
- cabinet size: 44,28 cm x 49,815 cm
- COS (Coating on Surface) protection system
- full automatic corner protection mechanism
- curvable with extraordinary precision: -6° / -5° / -4° / -3° / -2° / -1°
- smallest possible cubes made with 4 tiles
- 90° option with special frames – possibility to build a cube without a gaps
- watch the movie ([LINK](#))




Unilumin UpadIV PRO (P2.6) - indoor

- resolution: 384pix / 1m
- brightness: 1000nits
- Novastar A10s PRO receiving cards
- 1/16 scan mode, MBI5264
- compatible with UpadIV-S and UpadIV-C tiles (one batch)
- front and rear service with special tool
- magnetic modules
- curvable with an extraordinary precision: -10° / -5°
- weight: 24kg / 1sqm
- full automatic corner protection system





Unilumin UpadIV-S (P2.6) - indoor

- resolution: 384pix / 1m
- brightness: 1000nits
- Novastar A10s PRO receiving cards
- 1/16 scan mode, MBI5264
- compatible with UpadIV PRO and UpadIV-C tiles (one batch)
- magnetic modules
- curvable: -40° / +40° /curving in the plane of single tile/
- weight: 36kg / 1sqm
- manual corner protection mechanism





Unilumin UpadIV-C (P2.6) - indoor

- resolution: 384pix / 1m
- brightness: 1000nits
- Novastar A10s PRO receiving cards
- 1/16 scan mode, MBI5264
- compatible with UpadIV-PRO and UpadIV-S tiles (one batch)
- front and rear service with special tool
- straight / corner / cube installation



Unilumin Upad III (P3.9) - indoor

- resolution: 256pix / 1m
- front and rear service with special tool
- magnetic modules
- brightness: 1000nits
- curvable with an extraordinary precision: -10° / -5° / -2° / $+2^{\circ}$ / $+5^{\circ}$
- 90° option with special frames
- weight: 36kg / 1sqm
- cabinet size: 50 cm x 50cm
- watch the movie ([LINK](#))



Infiled AR series (P3.9) - indoor

- resolution: 168pix / 1m
- curvable up to -10° / $+10^{\circ}$
- magnetic modules with locks
- brightness: 1000nits
- super simple installation
- modular design
- tool free maintenance
- 50 cm x 100 cm and 50 cm x 50cm tiles
- 90° option with special frames



Unilumin Upad H (P5.9) - outdoor

- resolution: 168pix / 1m
- curvable up to -15° / $+15^{\circ}$
- touring frames with carts as an option
- magnetic modules with locks
- modular design
- tool free maintenance
- weight: 21kg / 1sqm
- weight in touring frame: 41kg/ 1sqm
- cabinet size: 50 cm x 100cm
- transport option: in dollies



Infiled AR series (P5.9) - outdoor

- resolution: 168pix / 1m
- curvable up to -10° / $+10^{\circ}$
- magnetic modules with locks
- tool free maintenance
- weight: 26kg / 1sqm
- cabinet size: 50x50cm and 50x100cm
- 90° option with special frames
- possibility to build a cube without a gaps
- watch the movie ([LINK](#))



Yestech Magic Stage 7 (P5.9) - outdoor

- resolution: 168pix / 1m
- floor option with special covers or hard glass
- curvable up to -15° / $+15^{\circ}$
- 90° option with special cabinets, possibility to build a cube
- triangle cabinets, round cabinets available
- weight: 26kg / 1sqm
- cabinet size: 50 cm x 50cm
- full black LED lamps, high contrast ratio
- LED floor with 3 different top surface finish:
 - a) tempered glass, glossy
 - b) tempered glass, matt
 - c) plexi covers, matt



Yestech Magic Stage 7s (P3.9) - outdoor

- resolution: 256pix / 1m
- floor option with special covers or hard glass
- curvable up to -15° / $+15^{\circ}$
- 90° option with special cabinets, possibility to build a cube
- triangle cabinets, round cabinets available
- weight: 24kg / 1sqm
- cabinet size: 50 cm x 50cm
- LED floor with 3 different top surface finish:
 - a) tempered glass, glossy
 - b) tempered glass, matt
 - c) plexi covers, matt



Crateled AirFLOOR-V1 (P2.6) - outdoor

- resolution: 384pix / 1m
- full professional LED floor
- sub-frames 100 cm x 100 cm / 100 cm x 50cm / 50cm x 50cm
- cabinet size: 50cm x 50cm
- matt version
- seamless connection between the tiles
- perfect for all hi-end and xR projects



PROJECTORS

Producer	Light source	Model	Brightness	Resolution	Specification link
Barco	Laser	UDX-4K32	31000	UHD	Barco UDX-4K32
Barco	Laser	UDX-4K22	22000	UHD	Barco UDX-4K22
Epson	Laser	EB-L1755U	15000	WUXGA/UHD	Epson EB-L1755U
Epson	Laser	EB-L1505U	12000	WUXGA/UHD	Epson EB-L1505U
Epson	Laser	EB-L1405U	8000	WUXGA/UHD	Epson EB-L1405U
Barco	Xenon	HDQ-2K40	40000	2K	Barco HDQ-2K40
Barco	Xenon	HDF-W30	30000	WUXGA	Barco HDF-W30
Barco	Xenon	HDF-W26	26000	WUXGA	Barco HDF-W26
Barco	Xenon	HDF-W22	22000	WUXGA	Barco HDF-W22
Barco	Xenon	HDX-W20	20000	WUXGA	Barco HDX-W20
Barco	Xenon	HDX-W18	18000	WUXGA	Barco HDX-W18
Barco	Xenon	HDX-W14	14000	WUXGA	Barco HDX-W14
Barco	Xenon	HDX-W12	12000	WUXGA	Barco HDX-W12



Barco UDX-4K32



Barco HDF-W30



Barco HDX-W20



Epson EB-L1755U

LENSES

Producer	Model	Lens range	Compatible with projectors
Barco	TLD+ 0.73:1	WUXGA: 0.67:1 / WQXGA, UHD - do not use	Barco HDX, HDF series
Barco	TLD+ 0.8-1.16:1	WUXGA 0,85-1,24:1 / WQXGA,UHD 0,92-1,33:1	Barco HDX, HDF, UDX series
Barco	TLD+ 1.16-1.5:1	WUXGA 1,16-1,49:1 / WQXGA,UHD 1,24-1,56:1	Barco HDX, HDF, UDX series
Barco	TLD+ 1.5-2.0:1	WUXGA 1,39-1,87:1 / WQXGA,UHD 1,48-2.0:1	Barco HDX, HDF, UDX series
Barco	TLD+ 2.0-2.8:1	WUXGA 1,87-2,56:1 / WQXGA,UHD 2.0-2,76:1	Barco HDX, HDF, UDX series
Barco	TLD+ 2.8-4.5:1	WUXGA 2,56-4,17:1 / WQXGA,UHD 2,73-4,43:1	Barco HDX, HDF, UDX series
Barco	TLD+ 4.5-7.5:1	WUXGA 4,17-6,95:1 / WQXGA,UHD 4,43-7,39:1	Barco HDX, HDF, UDX series
Barco	XLD 1.0:1	2K 1.0:1	Barco HDQ series
Barco	XLD 1.45-1.8:1	2K 1.45-1.8:1	Barco HDQ series
Barco	XLD 1.8-2.4:1	2K 1.8-2.4:1	Barco HDQ series
Barco	XLD 2.2-3.0:1	2K 2.2-3.0:1	Barco HDQ series
Barco	XLD 2.8-5.5:1	2K 2.8-5.5:1	Barco HDQ series
Epson	ELPLX02	WUXGA/UHD 0.35:1	Epson EB-L1000 series
Epson	ELPLU03	WUXGA/UHD 0.48-0.57:1	Epson EB-L1000 series
Epson	ELPLW05	WUXGA/UHD 0.76-1.07:1	Epson EB-L1000 series
Epson	ELPLW06	WUXGA/UHD 1.19-1.63:1	Epson EB-L1000 series
Epson	ELPLM15	WUXGA/UHD 1.58-2.56:1	Epson EB-L1000 series
Epson	ELPLM10	WUXGA/UHD 2.43-3,71:1	Epson EB-L1000 series
Epson	ELPLM11	WUXGA/UHD 3.54-5.41:1	Epson EB-L1000 series

Barco TLD+ 0.8-1.16:1



Epson ELPX02



Barco XLD 1.0:1



IMAGE PROCESSING AND MEDIA SERVERS

Producer	Model / software	Additional information
Barco	E2	28 in / 14 out
Barco	S3-4K Jr + VPU (4K) + in / out cards	12 in / 10 out
Barco	EC-50	Barco Event Master controller
Barco	Event Master 4K60 Tri-Combo input card	
Barco	Event Master 4K60 Tri-Combo output card	
Barco	FSN3G 1804-06X4P + FSN-150 2.5ME panel	
Barco	PDS-701 3G	
Barco	MatrixPro DVI	16 in / 16 out
Panasonic	AG-HMX100	
Novastar	MX40	LED screen UHD processor
Novastar	MCTRL 4K	LED screen UHD processor
Novastar	MCTRL 660 PRO	LED screen HD processor
Novastar	MCTRL 660	LED screen HD processor
Dataton	Watchout ver. 6	I7 4900K, 2x SSD matrix, Firepro W7100, S400
Disguise	D3 2x4pro	
Disguise	D3 4x4pro + 4pcs VFC DVI cards	
Apple	MAC PRO	
Asus	ROG	Laptop, GeForce 1070 graphic card
BMD	HyperDeck Studio Pro 2	4K SSD disc player / recorder
Mastercue	v6	12 outputs with splitters



Barco S3



Barco E2



Barco EC-50



Disguise 2x4pro

INTERACTIVE SOLUTION AND LCD SCREENS

Device	Description	Webpage link
Interactive multimedia scanner	- Interactive moving presentation - 75" screen is set in the portrait position at the mobile crane - Detection of the screen position - "Scanning" of any objects - Full touch screen - 3D elements rendered in real-time - Can be combined with the presentation on a separate screen	Link
Interactive book	Multimedia stand that enables to turn over the screened page.	Link
Interactive LED screen	Infrared device which turns surface into touch screen.	Link
LCD screen 98"	NEC X981UHD-2 display, UHD resolution	
LCD screen 75"	Samsung ME75C (IR touch frame available), HD	
LCD screen 55"	Samsung ME55C (IR touch frame available), HD	
LCD screen 43"	NEC MultiSync® C431	
LCD touch screen 42"	iiyama Prolite TF4237MSC-B1AG, HD, 12 point touch technology	
LCD touch screen 32"	iiyama ProLite TF3238MSC-B1AG, HD, 12 point touch technology	
LCD touch screen 23"	iiyama Prolite T2336MSC, HD, 10 point touch technology	



NEC 98" UHD



Multimedia scanner

Interactive book



CONTACT

CEO Michał Płócienniak
mobile: +48 791010305
mail: michal@visualsupport.pl
web: www.visualsupport.pl

PO & Invoices:
Visualsupport Sp z o.o.
Pylna 42
30-236 Krakow, Poland
VAT EU: PL6772451616

Warehouse and Office:
Visualsupport
GLP Krakow Airport Logistic Centre
Komandosów 1/1
32-085 Modlniczka, Poland
Hall 1